



国内新型号	国内旧型号	轴承类型		内径 (mm)	外径 (mm)	宽度 (mm)	Cr	Cor	重量
		ZZ	2RS				(kN)	(kN)	(kg)
16001	7000101	16001-ZZ	16001-2RS	12	28	7	5.1	2.4	0.024
16002	7000102	16002-ZZ	16002-2RS	15	32	8	5.6	2.8	0.025
16003	7000103	16003-ZZ	16003-2RS	17	35	8	6	3.3	0.032
16004	7000104	16004-ZZ	16004-2RS	20	42	8	7.9	4.5	0.05
16005	7000105	16005-ZZ	16005-2RS	25	47	8	8.85	5.6	0.06
16006	7000106	16006-ZZ	16006-2RS	30	55	9	11.2	7.35	0.085
16007	7000107	16007-ZZ	16007-2RS	35	62	9	12.2	8.85	0.11
16008	7000108	16008-ZZ	16008-2RS	40	68	9	12.6	9.6	0.125
16009	7000109	16009-ZZ	16009-2RS	45	75	10	15.6	12.2	0.155
16010	7000110	16010-ZZ	16010-2RS	50	80	10	16.1	13.1	0.166
16011	7000111	16011-ZZ	16011-2RS	55	90	11	19.4	16.2	0.207
16012	7000112	16012-ZZ	16012-2RS	60	95	11	19.9	17.5	0.224
16013	7000113	16013-ZZ	16013-2RS	60	100	11	20.5	18.6	0.241
16014	7000114	16014-ZZ	16014-2RS	70	110	13	27.9	25	0.386
16015	7000115	16015-ZZ	16015-2RS	75	115	13	28.7	26.8	0.411
16016	7000116	16016-ZZ	16016-2RS	80	125	14	33.1	31.4	0.539
16017	7000117	16017-ZZ	16017-2RS	85	130	14	34	33.3	0.968
16018	7000118	16018-ZZ	16018-2RS	90	140	16	41.5	39.3	0.671
16019	7000119	16019-ZZ	16019-2RS	95	145	16	42.7	41.9	0.71
16020	7000120	16020-ZZ	16020-2RS	100	150	16	43.8	44.3	0.74
16021	7000121	16021-ZZ	16021-2RS	105	160	18	51.8	50.6	1
16022	7000122	16022-ZZ	16022-2RS	110	170	19	57.4	56.7	1.27
16024	7000124	16024-ZZ	16024-2RS	120	180	19	58.8	60.4	1.374
16026	7000126	16026-ZZ	16026-2RS	130	200	22	79.7	79.2	1.868
16028	7000128	16028-ZZ	16028-2RS	140	210	22	82.1	85	2
16030	7000130	16030-ZZ	16030-2RS	150	225	24	91.9	98.5	2.638
16032	7000132	16032-ZZ	16032-2RS	160	240	25	98.7	107	2.835
16034	7000134	16034-ZZ	16034-2RS	170	260	28	118	130	4.157
16036	7000136	16036-ZZ	16036-2RS	180	280	31	144	157	5.135
16038	700013	16038-ZZ	16038-2RS	190	290	31	149	168	5.429
16040	7000140	16040-ZZ	16040-2RS	200	310	34	167	191	6.624
16044	7000144	16044-ZZ	16044-2RS	220	340	37	181	216	9.285




国内新型号	国内旧型号	轴承类型		内径 (mm)	外径 (mm)	宽度 (mm)	Cr	Cor	重量
		OPEN	2RS				(kN)	(kN)	(kg)
61800-2Z	1080800	61800	61800-2RS	10	19	5	1.8	0.93	0.005
61801-2Z	1080801	61801	61801-2RS	12	21	5	1.9	1	0.005
61802-2Z	1080802	61802	61802-2RS	15	24	5	2.1	1.3	0.005
61803-2Z	1080803	61803	61803-2RS	17	26	5	2.2	1.5	0.007
61804-2Z	1080804	61804	61804-2RS	20	32	7	3.5	2.2	0.015
61805-2Z	1080805	61805	61805-2RS	25	37	7	4.3	2.9	0.017
61806-2Z	1080806	61806	61806-2RS	30	42	7	4.7	3.6	0.019
61807-2Z	1080807	61807	61807-2RS	35	47	7	4.9	4	0.023
61808-2Z	1080808	61808	61808-2RS	40	52	7	5.1	4.4	0.026
61809-2Z	1080809	61809	61809-2RS	45	58	7	6.4	5.6	0.03
61810-2Z	1080810	61810	61810-2RS	50	65	7	6.6	6.1	0.043
61811-2Z	1080811	61811	61811-2RS	55	72	9	9.1	8.4	0.07
61812-2Z	1080812	61812	61812-2RS	60	78	10	9.1	8.7	0.093
61813-2Z	1080813	61813	61813-2RS	65	85	10	11.9	11.5	0.13
61814-2Z	1080814	61814	61814-2RS	70	90	10	12.1	11.9	0.138
61815-2Z	1080815	61815	61815-2RS	75	95	10	12.5	12.8	0.147
61816-2Z	1080816	61816	61816-2RS	80	100	10	12.7	13.3	0.155
61817-2Z	1080817	61817	61817-2RS	85	110	13	19.2	19.8	0.245
61818-2Z	1080818	61818	61818-2RS	90	115	13	19.5	20.5	0.258
61819-2Z	1080819	61819	61819-2RS	95	120	13	19.8	21.3	0.27
61820-2Z	1080820	61820	61820-2RS	100	125	13	20.1	22	0.283
61821-2Z	1080821	61821	61821-2RS	105	130	13	20.3	22.7	0.295
61822-2Z	1080822	61822	61822-2RS	110	140	16	28.1	30.7	0.496
61824-2Z	1080824	61824	61824-2RS	120	150	16	28.9	32.9	0.536
61826-2Z	1080826	61826	61826-2RS	130	165	18	37.9	42.9	0.736
61828-2Z	1080828	61828	61828-2RS	140	175	18	38.2	44.3	0.784



国内新型号	国内旧型号	轴承类型		内径 (mm)	外径 (mm)	宽度 (mm)	Cr	Cor	重量
		OPEN	2RS				(kN)	(kN)	(kg)
61901-2Z	1080901	61901	61901-2RS	12	24	6	2.9	1.5	0.008
61902-2Z	1080902	61902	61902-2RS	15	28	7	4.3	2.3	0.012
61903-2Z	1080903	61903	61903-2RS	17	30	7	4.6	2.6	0.014
61904-2Z	1080904	61904	61904-2RS	20	37	9	6.4	3.7	0.031
61905-2Z	1080905	61905	61905-2RS	25	42	9	7	4.5	0.038
61906-2Z	1080906	61906	61906-2RS	30	47	9	7.2	5	0.043
61907-2Z	1080907	61907	61907-2RS	35	55	10	9.5	6.8	0.078
61908-2Z	1080908	61908	61908-2RS	40	62	12	13.7	9.9	0.103
61909-2Z	1080909	61909	61909-2RS	45	68	12	14.1	10.9	0.123
61910-2Z	1080910	61910	61910-2RS	50	72	12	14.5	11.7	0.122
61911-2Z	1080911	61911	61911-2RS	55	80	13	15.9	13.2	0.17
61912-2Z	1080912	61912	61912-2RS	60	85	13	16.4	14.2	0.181
61913-2Z	1080913	61913	61913-2RS	65	90	13	17.4	16	0.196
61914-2Z	1080914	61914	61914-2RS	70	100	16	23.7	21.1	0.336
61915-2Z	1080915	61915	61915-2RS	75	105	16	24.3	22.5	0.355
61916-2Z	1080916	61916	61916-2RS	80	110	16	24.9	23.9	0.375
61917-2Z	1080917	61917	61917-2RS	85	120	18	31.9	29.7	0.507
61918-2Z	1080918	61918	61918-2RS	90	125	18	32.8	31.5	0.533
61919-2Z	1080919	61919	61919-2RS	95	130	18	33.7	33.3	0.558
61920-2Z	1080920	61920	61920-2RS	100	140	20	42.7	41.9	0.774
61921-2Z	1080921	61921	61921-2RS	105	145	20	43.9	44.3	0.808
61922-2Z	1080922	61922	61922-2RS	110	150	20	43.6	44.4	0.835
61924-2Z	1080924	61924	61924-2RS	120	165	22	55	56.9	1.131
61926-2Z	1080926	61926	61926-2RS	130	180	24	65.1	67.2	1.496



国内新型号	国内旧型号	轴承类型		内径 (mm)	外径 (mm)	宽度 (mm)	Cr	Cor	重量
		OPEN	2RS				(kN)	(kN)	(kg)
606-2Z	80016	606	606-2RS	6	1.95	0.74	43000	51000	0.0058
607-2Z	80017	607	607-2RS	6	2.6	1.05	40000	47000	0.0076
608-2Z	60018	608	608-2RS	7	3.32	1.38	26000	34000	0.015
6000-2Z	80100	6000	6000-2RS	10	26	8	4.58	1.98	0.02
6001-2Z	80101	6001	6001-2RS	12	28	8	5.1	2.38	0.022
6002-2Z	80102	6002	6002-2RS	15	32	9	5.58	2.85	0.03
6003-2Z	80103	6003	6003-2RS	17	35	10	6	3.25	0.04
6004-2Z	80104	6004	6004-2RS	20	42	12	9.38	5.02	0.07
6005-2Z	80105	6005	6005-2RS	25	47	12	10	5.85	0.08
6006-2Z	80106	6006	6006-2RS	30	55	13	13.2	8.3	0.12
6007-2Z	80107E	6007	6007-2RS	35	62	14	16.2	10.5	0.16
6008-2Z	80108	6008	6008-2RS	40	68	15	17	11.8	0.19
6009-2Z	80109	6009	6009-2RS	45	75	16	21	14.8	0.23
6010-2Z	80110	6010	6010-2RS	50	80	16	22	16.2	0.28
6011-2Z	80111	6011	6011-2RS	55	90	18	30.2	21.8	0.38
6012-2Z	80112	6012	6012-2RS	60	95	18	31.5	24.2	0.39
6013-2Z	80113	6013	6013-2RS	65	100	18	32	24.8	0.42
6014-2Z	80114	6014	6014-2RS	70	110	20	38.5	30.5	0.57
6015-2Z	80115	6015	6015-2RS	75	115	20	40.2	33.2	0.64
6016-2Z	80116	6016	6016-2RS	80	125	22	47.5	39.8	0.83
6017-2Z	80117	6017	6017-2RS	85	130	22	50.8	42.8	0.86
6018-2Z	80118	6018	6018-2RS	90	140	24	58	49.8	1.1
6019-2Z	80119	6019	6019-2RS	95	145	24	57.8	50' 0	1.14
6020-2Z	80120	6020	6020-2RS	100	150	24	64.5	56.2	1.25
6021-2Z	80121	6021	6021-2RS	105	160	26	71.8	63.2	1.52
6022-2Z	80122	6022	6022-2RS	110	170	28	81.8	72.8	1.87
6024-2Z	80124	6024	6024-2RS	120	180	28	87.5	79.2	1.99
6026-2Z	80126	6026	6026-2RS	130	200	33	105	96.8	3.08
6028-2Z	80128	6028	6028-2RS	140	210	33	116	108	3.17



国内新型号	国内旧型号	轴承类型		内径 (mm)	外径 (mm)	宽度 (mm)	Cr	Cor	重量
		OPEN	2RS				(kN)	(kN)	(kg)
625-2Z	80025	625	625-2RS	5	1.75	0.67	40000	49000	0.005
626-2Z	80026	626	626-2RS	6	2.6	1.05	35000	43000	0.0081
627-2Z	80027	627	627-2RS	7	3.3	1.35	31000	37000	0.013
628-2Z	80028	628	628-2RS	8	3.35	1.4	28000	35000	0.018
6200-2Z	80200	6200	6200-2RS	10	30	9	5.1	2.38	0.03
6201-2Z	80201	6201	6201-2RS	12	32	10	6.82	3.05	0.04
6202-2Z	80202	6202	6202-2RS	15	35	11	7.65	3.72	0.04
6203-2Z	80203	6203	6203-2RS	17	40	12	9.58	4.78	0.06
6204-2Z	80204	6204	6204-2RS	20	47	14	12.8	6.65	0.1
6205-2Z	80205	6205	6205-2RS	25	52	15	14	7.88	0.12
6206-2Z	80206	6206	6206-2RS	30	62	16	19.5	11.5	0.19
6207-2Z	80207	6207	6207-2RS	35	72	17	25.5	15.2	0.27
6208-2Z	80208	6208	6208-2RS	40	80	18	29.5	18	0.37
6209-2Z	80209	6209	6209-2RS	45	85	19	31.5	20.5	0.42
6210-2Z	80210	6210	6210-2RS	50	90	20	35	23.2	0.47
6211-2Z	80211	6211	6211-2RS	55	100	21	43.2	29.2	0.58
6212-2Z	80212	6212	6212-2RS	60	110	22	47.8	32.8	0.77
6213-2Z	80213	6213	6213-2RS	65	120	23	57.2	40	0.98
6214-2Z	80214	6214	6214-2RS	70	125	24	60.8	45	1.04
6215-2Z	80215	6215	6215-2RS	75	130	25	66	49.5	1.18
6216-2Z	80216	6216	6216-2RS	80	140	26	71.5	54.2	1.38
6217-2Z	80217	6217	6217-2RS	85	150	28	83.2	63.8	1.75
6218-2Z	80218	6218	6218-2RS	90	160	30	95.8	71.5	2.2
6219-2Z	80219	6219	6219-2RS	95	170	32	110	82.8	2.62
6220-2Z	80220	6220	6220-2RS	100	180	34	122	92.8	3.2



国内新型号	国内旧型号	轴承类型		内径 (mm)	外径 (mm)	宽度 (mm)	Cr	Cor	重量
		OPEN	2RS				(kN)	(kN)	(kg)
6300-2Z	80300	6300	6300-2RS	10	35	11	7.65	3.48	0.05
6301-2Z	80301	6301	6301-2RS	12	37	12	9.72	5.08	0.06
6302-2Z	80302	6302	6302-2RS	15	42	13	11.5	5.42	0.08
6303-2Z	80303	6303	6303-2RS	17	47	14	13.5	6.58	0.11
6304-2Z	80304	6304	6304-2RS	20	52	15	15.8	7.88	0.14
6305-2Z	80305	6305	6305-2RS	25	62	17	22.2	11.5	0.22
6306-2Z	80306	6306	6306-2RS	30	72	19	27	15.2	0.35
6307-2Z	80307	6307	6307-2RS	35	80	21	33.4	19.2	0.42
6308-2Z	80308	6308	6308-2RS	40	90	23	40.8	24	0.63
6309-2Z	80309	6309	6309-2RS	45	100	25	52.8	31.8	0.83
6310-2Z	80310	6310	6310-2RS	50	110	27	61.8	38	1.08
6311-2Z	80311	6311	6311-2RS	55	120	29	71.5	44.8	1.37
6312-2Z	80312	6312	6312-2RS	60	130	31	81.8	51.8	1.71
6313-2Z	80313	6313	6313-2RS	65	140	33	93.8	60.5	2.09
6314-2Z	80314	6314	6314-2RS	70	150	35	105	68	2.6
6315-2Z	80315	6315	6315-2RS	75	160	37	113	76.8	3.05
6316-2Z	80316	6316	6316-2RS	80	170	39	123	86.5	3.62
6317-2Z	80317	6317	6317-2RS	85	180	41	132	96.5	4.27
6318-2Z	80318	6318	6318-2RS	90	190	43	145	108	4.97